

Check Out Our Comparison Chart Propur™ vs. The Competition and see the difference!

[View Cart](#)

[Home](#)

[Propur™ Systems](#)

[Water Filter Elements](#)

[Propur™ vs Competition](#)

[Accessories](#)

[CONTACT US](#)

[INSTRUCTIONS](#)

[Alex Jones](#)

[TERMS OF USE](#)

[1-800-544-3533](#)



NSF/ANSI Std.42 Certified #W9610900



**Now there is a choice.** The **ProBlack-D™** Domed Hi-Performance water filter element by **Propur™** is the result of years of research, design and development. They consist of a ceramic composite with a special mix of carbon to provide the most efficient filtration possible, silver impregnated to help prevent bacteria growth and are self-sterilizing. These filter elements are good up to 3,000 gallons each before replacement. Easy to clean, trouble *FREE* and require NO priming, the **ProBlack-D™** water filter elements may be the best yet! Fits most competitive gravity type water purification systems.

The **ProBlack-D™** water filter elements are manufactured to remove pathogenic bacteria and cysts, in addition they have exceptional chemical removal properties. **ProBlack-D™** water filter elements are sold in pairs and fit most gravity water purification systems.

We recommend you clean your **ProBlack-D™** water filter elements about every 6 months or when the flow rate is noticeably lower. You should change every 3,000 gallons.

#### Contaminant Removal of the ProBlack-D™ water filter elements

The majority of pathogenic (disease causing) bacteria and cysts are larger than one micron. The pore size of the **ProBlack-D™** water filter elements is controlled so that it will remove all suspended matter larger than 0.3 microns.

#### Pathogenic bacteria

Cholera, Typhoid, Salmonella, Serratia, Fecal Coliform >99.99%

E. coli - 100%

#### Cysts

Cryptosporidium Parvum, Giardia Lamblia - 100% removal

#### Sediment

Down to 0.8 micron - 100%

0.3 - 0.5 micron >99.99%

Turbidity >99.7%

#### Contaminants

**Chlorine**, Chloramines, COD (Chemical Oxygen Demand), Lead, Arsenic, Nitrite, Pesticides, Herbicides, VOC's, **Iron**, Aluminum, THM (Trihalomethanes), PAH (poly-aromatic hydrocarbons), and other heavy metals.

**Chlorine** - 99%



**NEW** re-engineered 1" shorter **ProBlack+™ Advanced Fluoride Filters** just for the **Propur™ TRAVELER...** All the features of the **ProBlack+™** with improved flow rate and increased water storage capacity.



**ProBlack+T™ Advanced Fluoride Filters just for the TRAVELER - \$59.00/pr**

[Add to Cart](#)



COD .75%  
 Lead - 99%  
 Arsenic - 90%

**MTBE (methyl tertiary-butyl ether) - 90%**

**NEW UPDATED CONTAMINANTS LIST**

**VOC's >95%**

Alachlor, Atrazine, Benzene, Carbofuran, Carbon tetrachloride, Chlorobenzene, Chloropicrin, 2,4-D, Dibromochloropropane, o-dichlorobenzene, p-dichlorobenzene, 1,2-dichloroethane, 1,1-dichloroethylene, cis-1,2-dichloroethylene, Trans-1,2-dichloroethylene, 1,2-dichloropropane, cis-1,3-dichloropropylene, Dinoseb, Endrin, Ethylbenzene, Ethylene dibromide, Haloacetonitriles, Haloketones, Heptachlor epoxide, Hexachlorobutadiene, Hexachlorocyclopentadiene, Lindane, Methoxychlor, Pentachlorophenol, Simazine, Styrene, 1,1,2,2-tetrachloroethane, Tetrachloroethylene, Toluene, 2,4,5-TP, Tribromoacetic acid, 1,2,4-trichlorobenzene, 1,1,1-trichloroethane, 1,1,2-trichloroethane, Trichloroethylene (TCE), Trihalomethanes (THMs), Xylenes

**ProBlack-D™ Water Filter Elements - \$99.00/pr**

[Add to Cart](#)

Looking for a replacement filter for your competitive brand gravity system?



**SAME SIZE AS COMPETITORS - 2" x 9"**

- Fits most gravity systems
- Good up to 3,000 gallons
- Silver impregnated



The **ProBlack+™ Advanced Fluoride Filters**, sold in pairs, consists of granular activated carbon based media and is designed to help reduce heavy metals, **arsenic**, fluoride, **Bromine**, Pesticides and chlorine/chloramine found in drinking water. Reduction will vary dependent upon the contaminants contained in your water supply. Some contaminants will be more easily filtered than others. Percentage of reductions will vary from 50% to 95% over the life of the filter elements based on the level of contaminant(s) found in your water supply.

The reduction efficiencies that may be achieved are as follows:

- 50% - 95% for Fluoride
- >50% to include **Mercury and Silver**
- >80% to include **Aluminum, Arsenic III, Arsenic V, Cadmium, Chromium VI, Iron, Manganese**
- >90% to include **Copper, Nickel, Zinc**
- >95% to include **Lead**

Will also help reduce **Strontium, Uranium and Vanadium**

The **ProBlack+™ Advanced Fluoride Filters** mount "piggy back" onto the stem on the bottom side of the **ProBlack-D™** water filter elements. Due to the wide variety of contaminants that may be present in your water supply, the length of time the **ProBlack+™** Advanced Fluoride Filters require for replacement may vary. Under normal conditions, it is recommended that you replace your **ProBlack+™** Advanced Fluoride Filters at least every 6 months.


**ProBlack+™ Advanced Fluoride Filters - \$59.00/pr**

[Add to Cart](#)

**FILTER INSTALLATION DIAGRAM  
 UPPER CONTAINER**


- Cleanable
- Requires no priming

Compares to our



**ProBlack-BR™ Water Filter Elements - \$99.00/pr**

[Add to Cart](#)



Please note the **Propur™ TRAVELER** is designed for one filter element, **BIG** for up to 3 and **KING** up to 4...



Interested in becoming a **Propur™** Dealer, please contact us toll free at 1-800-544-3533 and ask for Dealer Development. **Propur™** water purification systems are now available in California and Iowa. FREE shipping & gift is a limited offer good when system is shipped UPS ground service within continental US. Call for details on Canadian shipments. © 2011 Lincoln-Remi Group LLC. ALL RIGHT RESERVED.

